


### Amendment to the claims

This listing of claims replaces all prior versions, and listings, of claims in the application.

### Listing of claims

1. (Previously presented) A light-emitting device emitting light by electric energy having one or more layers of organic thin films formed between an anode and a cathode, characterized in that the organic thin film contains a compound represented by the following General Formula (3) or (4):



(wherein, X<sub>1</sub>, X<sub>2</sub>, X<sub>3</sub> and X<sub>4</sub> each independently represent an oxygen, sulfur, selenium, or tellurium atom, or NR<sub>29</sub>; and R<sub>29</sub> represents a hydrogen atom, an alkyl group having 1 to 6

carbon atoms which may be substituted with at least one group selected from the group consisting of a halogen atom, phenyl, biphenyl, naphthyl, pyridino, thienyl, and furyl groups, and phenyl, biphenyl, naphthyl, pyridino, thienyl, or furyl groups which may be substituted with at least one group selected from the group consisting of an alkyl group having 1 to 6 carbon atoms, a halogen atom, and phenyl, biphenyl, naphthyl, pyridino, thienyl, and furyl groups;  $R_1$  to  $R_{28}$  each independently represent a hydrogen atom; a halogen atom; an alkyl group having 1 to 6 carbon atoms which may be substituted with at least one group selected from the group consisting of a halogen atom, phenyl, biphenyl, naphthyl, pyridino, thienyl, and furyl groups; and a phenyl, biphenyl, naphthyl, pyridino, thienyl, or furyl group which may be substituted with at least one group selected from the group consisting of an alkyl group having 1 to 6 carbon atoms, a halogen atom, and phenyl, biphenyl, naphthyl, pyridino, thienyl, and furyl groups, and the neighboring groups among the substituent groups represented by  $R_1$  to  $R_{14}$  and  $R_{29}$  in Formula (3) and  $R_{15}$  to  $R_{29}$  in Formula (4) may bind to each other to form a benzene or naphthalene ring).

2. (Cancelled)

3. (Previously presented) The light-emitting device according to Claim 1, wherein  $X_1$ ,  $X_2$ ,  $X_3$  and  $X_4$  in Formula (3) or (4) each represent an oxygen or sulfur atom.

4. (Previously presented) The light-emitting device according to Claim 1, wherein the neighboring groups among  $R_1$  to  $R_4$ ,  $R_8$  to  $R_{11}$ ,  $R_{15}$  to  $R_{18}$ , and  $R_{21}$  to  $R_{24}$  in Formula (3) or (4) bind to each other, forming a benzene or naphthalene ring.

5. (Previously presented) The light-emitting device according to claim 1, wherein  $R_1$  and  $R_2$  and/or  $R_3$  and  $R_4$  and/or  $R_8$  and  $R_9$  and/or  $R_{10}$  and  $R_{11}$  and/or  $R_{15}$  and  $R_{16}$  and/or  $R_{17}$  and  $R_{18}$  and/or  $R_{21}$  and  $R_{22}$  and/or  $R_{23}$  and  $R_{24}$  in Formula (3) or (4) bind to each other, forming a benzene or naphthalene ring.

6. (Previously presented) The light-emitting device according to claim 1, wherein the substituent groups represented by  $R_1$  to  $R_{29}$  in Formula (3) or (4) each are an alkyl group having 1 to 6 carbon atoms which may be substituted with at least one group selected from the group consisting of a halogen atom, phenyl, biphenyl, naphthyl, pyridino, thienyl, and furyl groups; or phenyl or naphthyl group which may be substituted with at least one group selected from the group consisting of an alkyl group having

1 to 6 carbon atoms, a halogen atom, and phenyl, biphenyl, naphthyl, pyridino, thienyl, and furyl groups.

7. (Previously presented) The light-emitting device according to claim 1, wherein the substituent groups represented by  $R_1$  to  $R_{28}$  in Formulae (3) and (4) each are a halogen atom; a phenyl or naphthyl group having a halogen atom; or a C1-C6 alkyl group having a halogen atom and the substituent groups represented by  $R_{29}$  in Formulae (3) and (4) is a phenyl or naphthyl group having a halogen atom; or a C1-C6 alkyl group having a halogen atom.

8. (Previously presented) The light-emitting device according to Claim 1, wherein the halogen atom is a bromine or fluorine atom.

9. (Cancelled)

10. (Previously presented) The light-emitting device according to any one of Claims 1 or 3 to 8 wherein the organic thin film has a laminate structure at least containing a positive hole-transporting layer and a light-emitting layer.

11. (Previously presented) The light-emitting device according to any one of Claims 1 or 3 to 8, wherein an anode, a positive hole-transporting layer, a light-emitting

layer, an electron-transporting layer, and a cathode are laminated in that order.

12. (Previously presented) The light-emitting device according to any one of Claims 1 or 3 to 8, wherein at least a positive hole-injecting layer, a positive hole-transporting layer, and an electron-transporting layer are formed between the anode and the cathode.

13. (Previously presented) The light-emitting device according to any one of Claims 1 or 3 to 8, wherein the compound represented by Formula (3) or (4) is contained as the host material of the light-emitting material in the light-emitting layer.

14. (Previously presented) The light-emitting device according to any one of Claims 1 or 3 to 8, wherein the compound represented by Formula (3) or (4) is contained as the dopant for the light-emitting layer.


15. (Previously presented) The light-emitting device according to any one of Claims 1 or 3 to 8, wherein a white light is emitted by combined use of a blue to green light-emitting material.

16. (Previously presented) The light-emitting device according to any one of Claims 1 or 3 to 8, wherein one of

organic thin films is a positive hole-injecting layer and the positive hole-injecting layer contains a compound represented by the Formula (3) or (4).

17. (Previously presented) The light-emitting device according to any one of Claims 1 or 3 to 8, wherein the light-emitting device is a device for a display in a matrix mode and/or a segment mode.

18. (Currently amended) A condensed polycyclic compound represented by Formula (5):




(wherein, R<sub>30</sub> to R<sub>43</sub> each independently represent a hydrogen atom; a halogen atom; a C<sub>1</sub>-C<sub>6</sub> alkyl group; or, a phenyl or naphthyl group an aromatic residue which may be substituted with at least one group selected from the group consisting of an alkyl group having 1 to 6 carbon atoms, a halogen

atom, ~~a phenyl, biphenyl, naphthyl, pyridino, thienyl, or~~  
~~furyl group~~; at least one of ~~R<sub>30</sub> to R<sub>43</sub>~~ R<sub>31</sub>, R<sub>33</sub>, R<sub>38</sub> and R<sub>40</sub>  
is a halogen atom or a phenyl ~~or naphthyl group~~ which may  
be substituted with ~~at least one group selected from the~~  
~~group consisting of an alkyl group having 1 to 6 carbon~~  
~~atoms, a halogen atom, a phenyl, biphenyl, naphthyl,~~  
~~pyridino, thienyl, or furyl group~~; ~~two to four of R<sub>31</sub>, R<sub>33</sub>,~~  
~~R<sub>38</sub>, and R<sub>40</sub> are present as substituent groups mentioned~~  
~~above~~; and ~~the neighboring groups among R<sub>30</sub> to R<sub>43</sub>~~ R<sub>30</sub> and R<sub>31</sub>  
and R<sub>37</sub> and R<sub>38</sub>, or R<sub>32</sub> and R<sub>33</sub> and R<sub>39</sub> and R<sub>40</sub>, may bind to  
each other forming benzene ~~or naphthalene~~ ring(s), however  
excluding the case where R<sub>30</sub> and R<sub>31</sub> and R<sub>37</sub> and R<sub>38</sub>, or R<sub>32</sub>  
and R<sub>33</sub> and R<sub>39</sub> and R<sub>40</sub>, bind to each other forming  
unsubstituted benzene rings and all of R<sub>30</sub> to R<sub>43</sub> that do not  
form a ring are a hydrogen atom).

19. (Cancelled)

20. (Cancelled)

21. (Currently amended) A condensed polycyclic compound  
represented by Formula (6):




(wherein,  $R_{44}$  to  $R_{57}$  each independently represent a hydrogen atom, a halogen atom, a C1-C6 alkyl group, or a phenyl or naphthyl group which may be substituted a phenyl, biphenyl, naphthyl, pyridino, thienyl, or furyl group, a C1-C6 alkyl group, or a halogen atom; at least one of  $R_{44}$  to  $R_{57}$ ,  $R_{45}$ ,  $R_{47}$ ,  $R_{52}$ , and  $R_{54}$  is a halogen atom, a C1-C6 alkyl group, or a phenyl group or naphthyl group which may be substituted with a phenyl, biphenyl, naphthyl, pyridino, thienyl, or furyl group, a C1-C6 alkyl group, or a halogen atom; two to four of  $R_{45}$ ,  $R_{47}$ ,  $R_{52}$ , and  $R_{54}$  are present as substituent groups mentioned above and the neighboring groups among  $R_{44}$  to  $R_{57}$  may bind to each other forming benzene or naphthalene ring(s)).

22. (Cancelled)

23. (Cancelled)



24. (Currently amended) A condensed polycyclic compound represented by the following General Formula (7):



(wherein, X<sub>3</sub> and X<sub>4</sub> each independently represent an oxygen, sulfur, selenium, or tellurium atom, or NR<sub>72</sub>; R<sub>72</sub> represents a hydrogen atom, or a C1-C6 alkyl group, a phenyl, biphenyl, naphthyl, pyridino, thienyl, or furyl group which may be substituted with a C1-C6 alkyl group, a phenyl, biphenyl, naphthyl, pyridino, thienyl, or furyl group, or a halogen atom; R<sub>58</sub> to R<sub>71</sub> each represent a hydrogen atom, a halogen atom, a C1-C6 alkyl group which may be substituted with a phenyl, biphenyl, naphthyl, pyridino, thienyl, or furyl group, or a halogen atom, a phenyl, biphenyl, naphthyl, pyridino, thienyl, or furyl group which may be substituted with a phenyl, biphenyl, naphthyl, pyridino, thienyl, or furyl group, or a halogen atom; at least one of

~~R<sub>58</sub> to R<sub>72</sub> R<sub>59</sub>, R<sub>61</sub>, R<sub>64</sub>, and R<sub>66</sub> represents a halogen atom, a C1-C6 alkyl group which may be substituted with a phenyl, biphenyl, naphthyl, pyridino, thienyl, or furyl group, or a halogen atom, or a phenyl group, biphenyl, naphthyl, pyridino, thienyl, or furyl group which may be substituted with a phenyl, biphenyl, naphthyl, pyridino, thienyl, or furyl group, a C1-C6 alkyl group, or a halogen atom; two to four of R<sub>59</sub>, R<sub>61</sub>, R<sub>64</sub>, and R<sub>66</sub> are present as substituent groups mentioned above and the neighboring groups among the substituent groups R<sub>58</sub> to R<sub>72</sub> may bind to each other forming benzene or naphthalene ring(s).~~

25. (Cancelled)

26. (Cancelled)

27. (Cancelled)